

DAFTAR PUSTAKA

1. Darmojo R. Boedhi, Martono H. Hadi. Geriatri (Ilmu Kesehatan Usia Lanjut). Jakarta: Balai Penerbit FK–UI. 2011. Hal: 1–7.
2. Maharani E.P. Faktor – faktor Risiko Osteoarthritis Lutut. [Tesis]. FK UNDIP. 2007.
3. Dinas Kesehatan Kota Semarang. Profil Kesehatan Kota Semarang tahun 2014. 2016. [diakses tanggal 10 Maret 2016]. Tersedia di: <http://dinkes-kotasemarang.go.id/>.
4. Perhimpunan Reumatologi Indonesia. Rekomendasi IRA untuk Diagnosis dan Penatalaksanaan Osteoarthritis. Divisi Reumatologi Departemen Ilmu Penyakit Dalam FKUI/RSCM; Jakarta. 2014. Hal: 1 – 29.
5. Odding E, Valkenburg HA, Algra D, Vandenouweland FA, Grobbee DE, Hofman A. Associations of radiological osteoarthritis of the hip and knee with locomotor disability in the Rotterdam Study. *Ann Rheum Dis*. 1998; 57. Hal: 203-8.
6. Astutik, et al. Hubungan Kendali Glukosa Darah dengan Osteoarthritis Lutut. *E-Jurnal Pustaka Kesehatan*; 2014; 2(2).
7. Gilpin, Hui EN. Efficacy of Transcutaneous Electrical Nerve Stimulation (TENS) to Relieve Severe Pain in Patients With Knee Osteoarthritis (OA). 2010. PT Critically Appraised Topics. Paper 22. Tersedia di: <http://commons.pacificu.edu/ptcats/22>.
8. Widiyasari W. Efektifitas dan Kenyamanan Transcutaneous Electrical Nerve Stimulation (TENS) Pulse Burst dan Arus Trabert dalam Mengurangi Nyeri Kronik di Lutut Pada Usia Lanjut. [Skripsi]. FK UMS. 2009.
9. Tashani O, Johnson MI. Transcutaneous Electrical Nerve Stimulation (TENS) A Possible Aid for Pain Relief in Developing Countries. *Libyan J med*. 2009; 4(2). Hal: 62-5.

10. Muhammad H. Gambaran Kualitas Hidup dan Tingkat Kecemasan Pasien Osteoarthritis Lutut di Instalasi Rehabilitasi Medik RSUP Dr. Kariadi Semarang.2015.[Skripsi].FK-UNDIP.
11. Rasjad C., et al. Sistem muskuloskeletal penyakit degeneratif. dalam: Sjamsuhidajat R., Karnadihardja W., Prasetyono T. O. H., Rudiman R., Buku ajar ilmu bedah sjamsuhidajat- de jong. ed. 3.Jakarta, EGC.2011.Hal:1006-8
12. Center for Disease Control and Prevention (CDC):Osteoarthritis. [diakses tanggal 18 April 2016]. Tersedia di <http://www.cdc.gov/arthritis/basics/osteoarthritis.htm>.
13. Kraus VB. Pathogenesis and treatment of osteoarthritis. Med Clin North Am 1997; 81.Hal:85-112.
14. Hoaglund FT, Yau AC, Wong WL. Osteoarthritis of the hip and other joints in southern Chinese in hong kong. J bone joint surg am 1973;55 (3): Hal:545-57.
15. Amanda Theria, T. Hubungan Derajat Nyeri dengan Kualitas Hidup Pasien Osteoarthritis di Poli Syaraf Rumah Sakit Umum Daerah DR Hardjono Ponorogo.[Skripsi].FK UMS.2015.
16. Sudoyo A.W., Setiyohadi B., Alwi I., Simadibrata M.,Setiati S. Buku Ajar Ilmu Penyakit Dalam jilid 2.Edisi 5. Jakarta: Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia.2009.Hal:1205-11.
17. Toopchizadeh V, Babaei-Ghazani A, Eftekhar Sadat B. Efficiency of Action Potential Stimulation (APS) therapy in compare to Transcutaneous Electrical Nerve Stimulation (TENS) in knee osteoarthritis. Life Sci J 2012; 9(4) Hal: 3790-94.
18. Price Sylvia A., Wilson Lorraine M. Patofisiologi, Konsep klinis proses-proses Penyakit. Edisi 4.Jakarta:Penerbit Buku Kedokteran EGC,1995. Hal:1380-4.

19. Arya RK, Jain Vijay. Osteoarthritis Of The Knee Joint: an overview. JIACM 2013;14(2).Hal:154-62.
20. Haq I., Murphy E., Dacre J. OsteoarthritisReview. Postgrad Med J, 2003; 79.Hal: 377 – 83.
21. Palmer S.,et al.Transcutaneous Electrical Nerve Stimulation as an Adjunct to Education and Exercise for Knee Osteoarthritis: A Randomized Controlled Trial. An American College of Rheumatology 2014;66(3).Hal:387-94.
22. Lawrence RC, Felson DT, Helmick CG et al. Estimates Of The The Prevalence Of Arthritis And Other Rheumatic Conditions In The United States. Part II. Arthritis Rheum 2008;34 Hal:172-80.
23. Golightly YM, Allen KD, Caine DJ. A Comprehensive Review Of The Effectiveness Of Different Exercise Programs For Patients With Osteoarthritis. Phys Sportmed 2012;40(4). Hal:52-65.
24. Jamtved G, Dahm KT, Christie A et al. Physical Therapy Interventions For Patient With Osteoarthritis Of The Knee: an overview of systematic reviews. Phys Ther 2008; 88(1).Hal:123-36.
25. Aileen M. Davis, BSc PT MSc Phd and Crystal Mackay BScPT MHSc. Osteoarthritis Year in Review: Outcome of Rehabilitation. 2013;21.Hal:1414-24
26. White WB,West CR,Borer JS et al. Risk Of Cardiovascular Event In Patient Receiving Celecoxib: meta-analysis of randomized clinical trials. Am J Cardiol 2007; 99(1). Hal: 91-8.
27. Hochberg MC, Altman RD, April KT et al. American College Of Rheumatology 2012 Recommendation For The Use Of Non-Pharmacologic And Pharmacologic Therapies In Osteoarthritis Of The Hand, Hip, And Knee Arthritis Care Res 2012; 64. Hal:455-74.

28. Sanford H. Roth, Philip Fuller. Pooled safety analysis of diclofenac sodium topical solution 1.5% (w/w) in the treatment of osteoarthritis in patients aged 75 years or older. Dove Press Jurnal, USA.2012
29. Clegg D, Reda DJ, Harris CL et al. Glucosamine, Chondroitin Sulfate, And The Two In Combination For Painful Knee Osteoarthritis. N Engl J Med 2006; 354. Hal: 795-808.
30. Tan, Jackson C. Practical manual of physical medicine and rehabilitation. Geoff Greenwood. 1998. Hal: 133-144.
31. Rutjes AW, Nuesch E, Sterchi R et al. Transcutaneous Electrostimulation For Osteoarthritis Of The Knee. Cochrane Database Syst Review 2009; (4): CD002823.
32. Rutjes A. TENS For Knee Osteoarthritis. J Evid Based Med 2010; 3(1). Hal: 54.
33. Peni. Hubungan Indeks Massa Tubuh (Imt) Dengan Nyeri, Kekakuan Sendi Dan Aktivitas Fisik Pada Pasien Osteoarthritis Lutut Di Poliklinik Bedah Ortopedi Rsu Dr. Soedarso Pontianak Tahun 2013. [Skripsi]. FK-Universitas Tanjungpura. 2014.
34. Amin, Niu Jingbo, Hunter David, et al. Cigarette smoking and the risk for cartilage loss and knee pain in men with knee osteoarthritis. Ann Rheum Dis. 2007; 66(1). Hal: 18-22.
35. Purnomo, HD. Gangguan Muskulo Skeletal pada Penderita Diabetes Mellitus di RSUP Dr. Kariadi Semarang. Program Pendidikan Dokter Spesialis-1 Bagian IMSF Ilmu Penyakit Dalam. Semarang. 2002
36. Rahmawan, A. Kualitas Hidup Penderita Karsinoma Nasofaring Pasca Terapi: Perbandingan antara yang Mendapat Radioterapi dengan Kombinasi Radioterapi ditambah Kemoterapi. [Tesis]. Departemen Ilmu Penyakit Telinga, Hidung, dan Tenggorokan Fakultas Kedokteran UGM. Yogyakarta. 2004.

37. Harahap AW. Perbandingan Kualitas Hidup Dengan Sf-36 Pada Pasien Diabetes Melitus Tipe 2 Yang Menggunakan Terapi Insulin Dengan Yang Menggunakan Obat Hipoglikemik Oral Di Rsup H.Adam Malik Medan. [Skripsi]. FK-USU.2015.
38. RAND. Scoring Instructions for the 36-Item Short Form Survey (SF-36). 2009.[diakses 23 April 2016].Tersedia di: http://www.rand.org/health/surveystools/mos/moscore36_itemscore.html.
39. Josimari M. D., Deidre M. W., Carol V., Barbara A. R., Kathleen A. S. Effectiveness of Transcutaneous Electrical Nerve Stimulation for Treatment of Hyperalgesia and Pain. Curr Rheumatol Rep.2008;10(6).Hal:492-9.
40. Parjoto S. Terapi listrik untuk modulasi nyeri.Semarang.Ikatan Fisioterapi Indonesia Cabang Semarang. 2005.
41. Walsh DM, Howe TE, Johnson MI, Sluka KA. Transcutaneous Electrical Nerve Stimulation for Acute Pain. Cochrane Database Syst Rev. 2009;CD006142
42. Johnson MI. Transcutaneous Electrical Nerve Stimulation (TENS) in: Kitchen S, Editor. Electrotherapy: evidence-based practice. Edinburgh: Churchill Livingstone:2002.
43. Prentice, William. E. Therapeutic modalities in rehabilitation 3rd Ed. United State of America:The McGraw-Hill Company.2005:Hal.3-9.
44. Bell, Gerald W., Prentice, William E. Thermal modalities in: Prentice, William E. Therapeutic modalities in rehabilitation 3rd Ed. United State of America:The McGraw-Hill Company,2005 :Hal.290-325
45. Strax, Thomas E., M.D., Gonzales P., M.D., Cuccurullo S., M.D. Physical modalities, therapeutic exercise, extended bedrest, and aging effect in: Cuccurullo, S., M.D. Editor. Physical medicine and rehabilitation board review. USA: Demos Medical Publishing;2004.Hal.553-80

46. Putra, Risa Esa Nanda. Hubungan Gangguan Muskuloskeletal Pada Pasien Diabetes Mellitus Di RSUP Dr. Kariadi Semarang.[Skripsi]. FK-UNDIP.2012.
47. Hooker, Daniel N. Therapeutic uses of electrical stimulation of sensory nerves in: Prentice, William E. Therapeutic modalities in rehabilitation 3rd Ed. United State of America:The McGraw-Hill Companie,2005 :Hal:135-6.
48. C.G.T. Vance. Effect of Trancutaneus Electrical Nerve Stimulation on Pin, Pain Sensitivity, and Function in People with Knee Osteoarthritis: A Randomized Controlled Trial. Phys Ther.2012;92(7).Hal: 898-910.
49. Kusuma, W. Profil Penderita Osteoarthritis Lutut Dengan Obesitas Di Instalasi Rehabilitasi Medik Blu Rsup Prof. Dr. R. D Kandou Manado. Jurnal e-Clinic (eCl). 2014.Vol.2(3).
50. Jones I, Johnson M.I. T. Trancutaneus Electrical Nerve Stimulation. Continuing Education in Anaesthesia, Critical Care & Pain j. 2009.Vol 9 (4).
51. Whitaker, J.Infrared Light Therapy 2014. 2016. [diakses tanggal 07 November 2016]. Tersedia di http://heilsunidstod.is/is_IS/infrared-light-therapy-by-dr-julian-whitaker.
52. Daniel L. Riddle and Paul W. Stratford. Unilateral vs bilateral symptomatic knee osteoarthritis: associations between pain intensity and function. Oxford University Press on behalf of the British Society for Rheumatology. 2013;52. Hal: 2229-2237.