

DAFTAR PUSTAKA

- Alain, D., Dds, G. & Mortier, E., 2008. Microleakage and Polymerization Shrinkage of Various Polymer Restorative Materials. , hal.125–133.
- Ansari, G., Eslami, B. & Oloomi, K., 2004. Microleakage Assessment of Pit and Fissure Sealant With and Without the Use of Pumice Prophylaxis. *International Journal of Paediatric Dentistry*, 14, hal.272–278.
- Anusavice, K.J., Shen, C. & Rawls, H.R., 2014. *Phillips' Science of Dental Material* 12 ed., China: Elsevier Saunders.
- Arias, V.G., Campos, I.T. & Pimenta, L.A.F., 2004. Microleakage Study of Three Adhesive Systems. *Scielo Brazilian Dental Journal*, 15(3), hal.194–198.
- Bansal, C., 2015. *Resin Based Material*, Germany: Anchor Academic Publishing.
- Beriat, N.C. & Nalbant, D., 2009. Water Absorption and HEMA Release of Resin-Modified Glass-Ionomers. *European Journal of Dentistry*, 3.
- Bird, D.L. & Robinson, D.S., 2015. *Modern Dental Assisting* 11 ed., Canada: Elsevier Saunders.
- Bollu, I.P. et al., 2016. Comparative evaluation of microleakage between nano-ionomer, giomer and resin modified glass ionomer cement in class V cavities- CLSM study. *Journal of Clinical and Diagnostic Research*, 10(5), hal.ZC66-ZC70.
- Bonsor, S.J. & Pearson, G.J., 2013. *A Clinical Guide to Applied Dental Materials*, China: Elsevier.
- Casamassimo, P.S. et al., 2013. *Pediatric Dentistry: Infancy through Adolescence*, China: Elsevier.
- Cefaly, D.F.G. et al., 2006. Water Sorption of Resin-Modified Glass Ionomer Cements Photoactivated with LED. *Braz Oral Res*, 20(4), hal.342.
- Cenci, M.S. et al., 2008. Influence of thermal stress on marginal integrity of restorative materials. *Journal of applied oral science : revista FOB*, 16(2), hal.106–10. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/19089200>.
- Chandra, S., Chandra, S. & Chandra, G., 2007. *Textbook of Operative Dentistry*, New Delhi: Jaypee Brothers Medical Publisher (P) Ltd.
- Christiono, S., 2011. Efektivitas Resin Bis-GMA sebagai Bahan Fissure Sealant pada Perubahan Suhu dalam Mengurangi Kebocoran Tepi. *UNISSULA*,

hal.1–9.

- Combe, E., Burke, F.J.T. & Bernard, D.W., 2013. *Dental Biomaterials*, US: Springer.
- Dhurohmah, Mujayanto, R. & Chumaeroh, S., 2014. Pengaruh Waktu Polishing dan Asam Sitrat terhadap Microleakage pada Tumpatan Resin Komposit Nanofiller Aktivasi Light Emitting Diode-In Vitro. *ODONTO Dental Journal*, 1(1), hal.11–15.
- Fernandes, K.S. et al., 2012. A Comparison Between Three Different Pit and Fissure Sealant with Regard to Marginal Integrity. *Journal of Conservative Dentistry*, 15(2), hal.146–150.
- Fisher, K., 2011. Halioreal Scientific Documentation. *Ivoclar Ivodent*, hal.1–27.
- Garg, N. & Gard, A., 2015. *Textbook of Operative Dentistry* 3 ed., New Delhi: Jaypee Brothers Medical Publisher (P) Ltd.
- Han, G. et al., 2015. Viscosity, Micro-Leakage, Water Solubility and Absorption in a Resin-based Temporary Filling Material. , 8(October).
- Hatrick, C.D. & Eakle, W.S., 2016. *Dental Matantsterials: Clinical Applications for Dental Assistants and Dental Hyygienist* 3 ed., United States of America: Elsevier.
- Irawan, B., 2005. Karakteristik Komposit Resin Berkemampuan Mengalir. *IJD*, 12(1), hal.36–41.
- Kantovitz, K.R. et al., 2006. Inhibition of Mineral Loss at the Enamel/Sealant Interface of Fissures Sealed with Fluoride- and Non-Fluoride Containing Dental Material In Vitro. *Acta Odontol Scand*, 64(6).
- Kouzima, E., Smirnov, T. & Pazdnikova, N., 2009. A One-Year Clinical Study of the Efficacy of a Pit-and-Fissure Sealant Containing Bioactive Glass. *OHDMBSC*, 8(1), hal.1–6.
- Lessage, B.P., 2007. Aesthetic Anterior Composite Restorations: A Guide to Direct Placement. *Elsevier Saunders*, 51, hal.359–378.
- Mahyudin, F. & Hermawan, H., 2016. *Biomaterials and Medical Devices A Perspective from an Emerging Country*, Quebec: Springer.
- McCabe, J.F. & Walls, A.W., 2008. *Applied Dental Material* 9 ed., Oxford: Blackwell Publishing Ltd.
- Mukuan, T., Abidjulu, J. & Wicaksono, D.A., 2013. Gambaran Kebocoran Tepi Tumpatan Pasca Restorasi Resin Komposit pada Mahasiswa Program Studi

- Kedokteran Gigi Angkatan 2005-2007. *Jurnal e-Gigi (eG)*, 1(2), pp.115–120.
- Noortz, R. van, 2013. *Introduction to Dental Material* 4 ed., China: Mosby Elsevier.
- Pardi, V. et al., 2005. Clinical Evaluation of Three Different Materials Used as Pit and Fissure Sealant. *Journal of Clinical Pediatric Dentistry*, 29(2), hal.133–138.
- Parveen, N. et al., 2012. Original Article THE EFFECTS OF MECHANICAL STRESSES ON THE COMPARATIVE MICROLEAKAGE OF TWO DIFFERENT RESTORATIVE MATERIALS. , 3(1).
- Pontes, D.G. et al., 2014. Microleakage Evaluation of Class V Restorations with Conventional and Resin-Modified Glass Ionomer Cements. *OHDM*, 13(3), hal.642–646.
- Quiroga, E.M., Zumarin, A.M. & Sierra, J.F.H., 2014. Evaluation of Marginal Seal and Microleakage of a Sealant Modified Silver Nano Particles in Primary Molar: In Vitro Study. *ODOVTOS-International Journal Dental Science*, 16, pp.107–113.
- Rajkumar, B. et al., Comparative evaluation of microleakage of three recent resin based core materials : An in vitro study.
- Rekha, Cv., Varma, B. & Jayanthi, 2012. Comparative evaluation of tensile bond strength and microleakage of conventional glass ionomer cement, resin modified glass ionomer cement and compomer: An in vitro study. *Contemporary Clinical Dentistry*, 3(4), hal.282. Available at: <http://www.contempclindent.org/text.asp?2012/3/3/282/103619>.
- Sakaguchi, R.L. & Powers, J.M., 2012. *Craig's Restorative Dental Materials* 13 ed., United States: Elsevier Mosby.
- Sosroedirdjo, B.I., 2004. Glass-Ionomer Modifikasi Resin. *JDI*, 11(1), hal.44–47.
- Veiga, N.J. et al., 2014. Fissure Sealants: A Review of their Importance in Preventive Dentistry. *OHDM*, 13(4), hal.987–993.