

## DAFTAR PUSTAKA

1. Bassay, A., Monoarfa, A., & Pontoh, V. (2015). Hubungan Antara Skor IPSS Dengan Kualitas Hidup Penderita LUTS di Beberapa Puskesmas Kota Manado, 1–7. <https://doi.org/10.1016/j.eururo.2009.04.029>
2. Sarma, A., & Wei, J. (2012). Benign prostatic hyperplasia and lower urinary tract symptoms. *New England Journal of Medicine*, 367(3), 248–257. <https://doi.org/10.1056/NEJMcp1106637>
3. Mochtar, C. A., Umbas, R., Soebadi, D. M., & Rasyid, N. (2003). Pedoman Penatalaksanaan BPH di Indonesia. *Ikatan Ahli Urologi Indonesia*, 1–19.
4. Van Der Walt, C. L. E., Heyns, C. F., Groeneveld, A. E., Edlin, R. S., & Van Vuuren, S. P. J. (2011). Prospective comparison of a new visual prostate symptom score versus the international prostate symptom score in men with lower urinary tract symptoms. *Urology*, 78(1), 17–20. <https://doi.org/10.1016/j.urology.2011.01.065>
5. Ceylan, Y., Gunlusoy, B., Degirmenci, T., Kozacioglu, Z., Bolat, D., & Minareci, S. (2015). Symptom Score in the Evaluation of Men Prospective Comparison of 2 Symptom. *Urology*, 85(3), 653–658. <https://doi.org/10.1016/j.urology.2014.10.057>
6. Heyns, C. F., Chb, M. B., Urol, M., Urol, F., Steenkamp, B. A., Chb, M. B., ... Chb, M. B. (2014). Evaluation of the visual prostate symptom score in a male population with great language diversity and limited education : A study from Namibia, 104(5), 353–357. <https://doi.org/10.7196/SAMJ.7917>
7. Pethiyagoda, A. U. B., & Pethiyagoda, K. (2016). Correlation between prostate volume and Lower Urinary Tract Symptoms ( LUTS ) as measured by International Prostate Symptom Score ( IPSS ), 6(4), 45–47.
8. Alawad, A. A. M., Elamin, S. M., & Younis, F. H. (2015). Correlation between prostate volume and lower urinary tract symptoms in Sudanese patients with benign prostatic hyperplasia, 4(April), 121–124.

9. Muhammad Ajaj Khotib, H.M Qodirun Nur. 1999.Cetakan Pertama. Fungsi hadist. Badan Cemerlang : Bandung
10. *Al-Qur'an dan terjemahannya*, Departemen Agama Republik Indonesia, Pustaka Agung Harapan 2006
11. Ikhsan, Rezky Auliah. 2015. Hubungan Antara Volume Prostat Terhadap Derajat LUTS (Lower Urinary Tract Symptoms) Pada Pasien Pembesaran Prostat Jinak di RS Wahidin Sudirohusodo Makassar. UNHAS : Makassar.
12. Roy, A., Singh, A., Sidhu, D. S., Rp, J., Malhotra, M., & Kaur, H. (2016). Original Article New Visual Prostate Symptom Score versus International Prostate Symptom Score in Men with Lower Urinary Tract Symptoms : A Prospective Comparision in Indian Rural Population, 111–117. <https://doi.org/10.4103/1117-6806.189002>
13. Agrawal, C. S., Chalise, P. R., & Bhandari, B. B. (2008). Correlation of prostate volume with international prostate symptom score and quality of life in men with benign prostatic hyperplasia, 10(2), 104–107.
14. Basuki B, Purnomo. (2012). Dasar- Dasar Urologi Edisi Ketiga. Jakarta : Sagung Seto.
15. Yamanishi, Tomonori. (2004). Lower Urinary Tract Symptoms ( LUTS ) in Middle-Aged and Elderly Men, 130(2), 543–548.
16. Irga. 2010. Benign Prostatic Hyperplasia. <http://www.irwanashari.com/2009/12/benign-prostatic-hyperplasia.html> (diakses pada tanggal 14 Agustus 2017)
17. Bapat, Shivadeo S., et al. (2006). Does Estimation of Prostate Volume by Abdominal Ultrasonography Vary With Bladder Volume : A Prospective Study With Transrectal Ultrasonography as A Reference. Indian Journal of Urology 22.4 : 322.
18. Esequiel Rodrigues Jr., et al. (2007). Prostate Volume Estimation Using The Ellipsoid Formula Consistently. Underestimates Actual Gland Size. Department of Urology, University of California-Irvine, Irvine Medical Center, Orange, California ; 179:2 : 501-03

19. Ikatan Ahli Urologi Indonesia (IAUI). 2003. Panduan penatalaksanaan (Guidelines) benign prostatic hyperplasia (BPH) di Indonesia. Surabaya.
20. Afriansyah, A., Gani, Y. I., & Nusali, H. (2014). Comparison between visual prostate symptom score and international prostate symptom score in males older than 40 years in rural Indonesia. *Prostate International*, 2(4), 176–181. <https://doi.org/10.12954/PI.14059>
21. Yigit Akin, Hakan Gulmez, Murat Ucar, Selcuk Yucel. The effect of first dose of tamsulosin on flow rate and its predictive ability on the improvement of LUTS in men with BPH in the mid-term. *Int Urol Nephrol*. 2013; 45:45-51.
22. Rowiyatun. 2016. Hubungan Volume Prostat Dengan Peningkatan Tekanan Darah Penderita Benign Prostatic Hyperplasia Pada Ultrasonografi. UNIMUS : Semarang.
23. Abdul Muhid. 2010. Analisis Statistik SPSS for Windows: Cara Praktis Melakukan Analisis Statistik. CV Duta Aksara : Surabaya.

