

UNIVERSITAS MUHAMMADIYAH SEMARANG  
FAKULTAS ILMU KEPERAWATAN DAN KESEHATAN  
PROGRAM STUDI DIPLOMA III KEBIDANAN  
TAHUN 2018

ABSTRAK

Herlinda Damayanti\*. Dewi Puspitaningrum\*\*. Fitriani Nur Damayanti\*\*.

ASUHAN KEBIDANAN NIFAS PATOLOGIS PADA NY. W P<sub>1</sub>A<sub>0</sub> USIA 28 TAHUN POST SC HARI KE - I DENGAN PRE EKLAMPSIA BERAT (PEB) DI RS ROEMANI MUHAMMADIYAH SEMARANG

(xvi + 84 halaman + 1 bagan + 1 gambar + 10 lampiran)

**Latar Belakang :** Dinas Kesehatan Kota Semarang (DKK), pada tahun 2017 didapatkan hasil yang menyebutkan sebanyak 46% (22 kasus) ibu nifas dengan preeklampsia berat, 19% (4 kasus) akibat sepsis. Pre eklampsia merupakan salah satu sebab utama kematian ibu dan kematian perinatal yang tinggi oleh karena itu diagnose dini pre eklampsia dan penanganannya perlu segera dilaksanakan untuk menurunkan Angka Kematian Ibu dan anak.

**Tujuan:** Untuk mengetahui dan melaksanakan Asuhan Kebidanan Nifas Patologis dengan Preeklampsia Berat (PEB) di RS Roemani Muhammadiyah Semarang.

**Metode:** Metode yang digunakan dalam melakukan asuhan ini adalah anamnesa, pemeriksaan fisik dan pemeriksaan penunjang.

**Hasil:** Diagnosa kebidanan yaitu, Ny W P<sub>1</sub> A<sub>0</sub> Umur 28 post partum dengan SC hari pertama disertai Preeklampsia Berat. Dilakukan penatalaksanaan kolaborasi dengan dokter SpOG untuk pemberian terapi.

**Simpulan:** terdapat kesenjangan antara teori dan lahan yaitu dari pemberian terapi, namun pada saat praktik di lahan penatalaksanaan yang dipraktikkan dilahan sudah sesuai dengan SOP yang berlaku di rumah sakit roemani muhammadiyah semarang.

Kata Kunci: Nifas, Pre Eklampsia Berat.

Kepustakaan: 28, 2004-2017

---

\* Mahasiswa Program Studi DIII Kebidanan Universitas Muhammadiyah Semarang

\*\* Dosen Universitas Muhammadiyah Semarang

ABSTRACT

Herlinda Damayanti\*. Dewi Puspitaningrum\*\*. Fitriani Nur Damayanti\*\*.

MIDWIFERY CARE OF PATHOLOGICAL POSTPARTUM AT MRS. W P<sub>1</sub>A<sub>0</sub> AGE 28 YEARS OLD POST SECTIO CESAREA FIRST DAY WITH SEVERE PREECLAMPSIA IN ROEMANI HOSPITAL MUHAMMADIYAH SEMARANG

(xvi + 84 pages + 1 chart + 1 figures + 10 appendices)

**Background:** Semarang City Health Office(DKK),in 2017, there were results that stated 46% (22 cases) of postpartum women with severe pre-eclampsia, 19% (4 cases) due to sepsis. Pre-eclampsia is one of the main causes of maternal mortality and high perinatal mortality, therefore the early diagnosis of pre-eclampsia and its treatment needs to be implemented immediately to reduce maternal and child mortality.

**Purpose:**To find out and implementations of Pathological Postpartum Midwifery Care with Severe Pre-eclampsia(PEB) at Roemani Hospital Muhammadiyah Semarang.

**Methods:** The method used in carrying out this care is anamnesis, physical checkup and supporting checkup.

**Result:** Obstetric diagnosis, namely Mrs. W<sup>1</sup> P<sub>1</sub> A<sub>0</sub>Age 28 Years post-partum with SC the first day accompanied by severe pre-eclampsia. It was conducted collaboration with SpOG doctors for therapy.

**Conclusions:**There was a gap between theory and area, namely from the provision of therapy, but when practicing in the area of management that was practiced in the area was in suitable with the operational standards that applied in Roemani Hospital Muhammadiyah Semarang.

**Keywords:** Postpartum, Severe Pre-eclampsia

**Bibliography** : 28, 2004-2017

- 
- \* The Student of Diploma III in Midwifery, University of Muhammadiyah Semarang
  - \* The Lecturers of Diploma III in Midwifery, University of Muhammadiyah Semarang