

## DAFTAR PUSTAKA

- Bakta, I.M.(2007). *Hematologi Klinik Ringkas*. Jakarta: EGC.
- Feng, L., Ying, Z., Hongcan, Z.and Zhexin S.(2013). Effects of Storage Time and Temperature on Coagulation Tests and Factors in Fresh Plasma. *Biochemical assaysBiophysical chemistry Preclinical research Proteases*. Article number: 3868, pp.1-32.
- Hilman, R.S., Kenneth, A., Michel, L., and Henry, M.R.(2011). *Hematology in Clinical Practice*. New York: The McGraw Hill.
- Indrayani.(2008). *Simposium Hemostasis Urinalisa*. Yogyakarta: UGM.
- Kit Inset Neoplastin®Cl plus.(2015). *Determination of Prothrombin Time*. Diagnostica Stago 9, rue des Frères Chausson.
- Lembar, S., Bororing, S., Then, Z.&Kurniawan, W.(2011). *Hematologi*. Jakarta: WIMI.
- Operator's Manual Start4.(2009). *Diagnostica Stago*. New York: Spectrum Laboratory Network.
- Price, S.A., & Lioraine, M., Wilson.(2005). *Patofisiologi klinik proses-proses penyakit. vol 1*. Jakarta: EGC.
- Santosa, B.(2008). *Penundaan Plasma Sitrat pada Suhu Kamar (27°C) terhadap Hasil Pemeriksaan aPTT ( Activated Partial Thromboplastin Time)*.
- Tahono, Sidharta. BRA., & Pramudianti, MID.(2012). *Buku Ajar Flebotomi*. Surakarta:UNS Press.
- Utama, H.(2007). *Hemostasis dan Trombosis Edisi Ketiga*. Jakarta: Fakultas Kedokteran Universitas Indonesia.
- Wiyata, B. (2014). *aPTT Masa Rekal PTT*.  
[http://scholar.google.co.id/scholar?hl=id&as\\_sdt=0,5&as\\_vis=1&q=artikel+penyimpanan+plasma+untuk+uji+waktu+protrombin](http://scholar.google.co.id/scholar?hl=id&as_sdt=0,5&as_vis=1&q=artikel+penyimpanan+plasma+untuk+uji+waktu+protrombin). Diakses pada tanggal 10 Januari 2017