

## DAFTAR PUSTAKA

- Abdullahi, M. 2011. *Biopotency role of culinary spices and herbs and their chemical constituents in health and commonly used spices in Nigerian dishes and snacks*. Afr J Food Sci : ;5: 111e124
- AHA. 2013. *Statistical factsheet. Asian & Pacific Islanders and cardiovascular diseases*.(online).<https://www.huments/downloadable/mcm-319570>
- Akinyemi AJ, Ademiluyi AO, Oboh G. 2013. *Aqueous extracts of two varieties of ginger (Zingiber officinale) inhibit angiotensin I converting enzyme, iron(II), and sodium nitroprusside-induced lipid peroxidation in the rat heart in vitro*. J Med Food : 16:1e6.
- Ali BH, Blunden G, Tanira MO, Nemmar A. 2008. *Some phytochemical, pharmacological and toxicological properties of ginger (Zingiber officinale Roscoe): a review of recent research*. Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association : 46(2):409-20.
- Al-Azhary, DB. 2011. *Ginger Enhances Antioxidant Activity and Attenuates Atherogenesis in Diabetic Cholesterol-Fed Rats*. Australian Journal of Basic and Applied Sciences : 5(12):2150-8.
- Annies. 2015. *Kolesterol dan Penyakit Jantung Koroner*. Jogjakarta: Ar-Ruzz Media;.
- Arkhaesi, Nahwa. 2008. *Kadar Malondialdehyde (MDA) Serum Sebagai Indikator Prognosis Keluaran pada Sepsis Neonatorum*. Tesis. Program Pascasarjana Magister Ilmu Biomedik dan Program Pendidikan Dokter Spesialis-1 Ilmu Kesehatan Anak Univesitas Diponegoro, Semarang.
- Astawan M, Wresdiyati T, Maknun L. 2017. *Tempe Sumber Zat Gizi dan Komponen Bioaktif untuk Kesehatan*. Bogor (ID): IPB Press.
- Babu D, Bhagyaraj & Vidhyalaksmi. 2009. *A low cost Nutritious Food "Tempeh"*. Journal Of Dairy & Food Science : 4(1): 22-27
- Brunzell JD. 2005. *Increased apo B in small dense LDL particles predicts premature coronary artery disease*. Arterioscler Thromb Vasc Biol : 25 474–5.
- Chang, C., Hsu, C., Chou, C., Chen, Y., Huang, F. And Chung, Y. 2009. *Effect of fermentation time on the antioxidant activities of tempeh prepared from fermented soybean using Rhizopus oligosporus*. International. Journal of Food Science and Technology 44: 799–806.

- Chaget, Louis, and Yo Yen. 2009. *Antioxidant activities of tempeh*. Food Chemistry, 300, pp.6720-6730.
- Corwin, EJ. 2003. Keadaan penyakit atau cidera: Aterosklerosis. In: Pakaryaningsih (ed). Buku Saku Patofisiologi. Jakarta: EGC, , pp: 352-3.
- Depkes RI. 2014. *Lingkungan sehat jantung sehat*. [series online]. Available from: URL: [http:// www.depkes.go.id/lingkungan-sehat-jantung-sehat%20 \(depkes\).html](http://www.depkes.go.id/lingkungan-sehat-jantung-sehat%20(depkes).html)
- Diah, MU. 2011. *Efek Intervensi Tempe Terhadap Profil Lipid, Superoksida Dismutase, LDL Teroksidasi dan Malondialdehyde Pada Wanita Menopause [Disertasi]*. Program Pasca Sarjana Institut Pertanian Bogor.
- Dwinaningsih, EA. 2010. *Karakteristik dan sensori tempe dengan variasi bahan baku kedelai/beras dan penambahan angka serta variasi lama fermentasi (skripsi)*. Surakarta: Jurusan Pertanian
- Haron, H., Ismail, A., Azlan, A., Shahar, S., & Peng, L.S. 2009. *Daidzein and genestein contents in tempeh and selected soy products*. Food Chemistry : 115, 1350–1356. doi:10.1016/j.foodchem.2009.01.053
- Haron, H., & Raob, N. 2014. *Nutrition and food changes in macronutrient, total phenolic and anti-nutrient contents during preparation of tempeh*. Journal of Nutrition & Food Sciences: 4(2), 1-5.
- Hutter, Carolyn M, Mellisa A, Austin, and Steve E Humphires. 2004. *Familial hypercholesterolemia, peripheral arterial disease and stroke: a huge minireview*. American Journal of Epidemiology: 160(5): 430-435
- J. J. Wentzel, Y. S. Chatzizisis, F. J. H. Gijzen, G. D. Giannoglou, C. L. Feldman, and P. H. Stone. 2012. "Endothelial shear stress in the evolution of coronary atherosclerotic plaque and vascular remodelling: Current understanding and remaining questions," Cardiovascular Research, vol. 96, no. 2, pp. 234–243,
- [Kementan] Kementerian Pertanian. 2014. *Pusat data dan sistem informasi pertanian*. Bul Konsumsi Pangan 5(2):13-14.
- Krummel DA. 2008. *Medical Nutrition Therapy for Cardiovascular Disease*. In: Mahan LK, EscottStump S, editors. Krause's Food & Nutrition Therapy. 12 ed. Canada: Elsevier;. p. 833-64.
- Krumhar and Kim Carleton. 2005. *Method for 42. Jha, K. and J. Verma, 1980. Removal of flatulence treatment of inflammation and pain in mammals*.

- principles from legumes by mold fermentation*. Indian United States Patent, 424/601.
- Kuligowski, M., Jasińska-Kuligowska, I., & Nowak, J. 2013. *Evaluation of bean and soy tempeh influence on intestinal bacteria and estimation of antibacterial properties of bean tempeh*. Polish Journal of Microbiology, 62, 189–194. <http://www.pjm.microbiology.pl/archive/vol6222013189.pdf>
- Kwon DY, Jang JS, Lee JE, Kim Y-S, Shin D-H, Park S. 2006. *The isoflavonoid aglycone-rich fractions of Chungkookjang, fermented unsalted soybeans, enhance insulin signaling and peroxisome proliferator-activated receptor- $\gamma$  activity in vitro*. BioFactors.;26(4):245–58.
- Lei, L., Liu, Y., Wang, X., Jiao, R., Ma, K. Y., Li, Y. M., et al. 2014. *Plasma cholesterol-lowering activity of gingerol- and shogaol-enriched extract is mediated by increasing sterol excretion*. Journal of Agricultural and Food Chemistry, 62, 10515–10521.
- Maged, R., Nordin, N., and Abdulla, M.S. 2013. *Antiinflammatory effects of zingiberofficinale roscoe involve suppression of nitric oxide and prostaglandin E2 production*. Zanco J Med Sci;17:349-356
- Manganti, Alisa. 2012. *Panduan Hidup Sehat Bebas Diabetes*. Yogyakarta: Araska.
- Mishra, A.P., S. Saklani and S. Chandra. 2013. *Estimation of gingerol content in different brand samples of ginger powder and their anti-oxidant activity: A comparative study*. Recent Research in Science and Technology : 5(1): 54-59
- Mo, H., Kariluoto, S., Piironen, V., Zhu, Y., Sanders, M. G., Vincken, J., Wolkers-Rooijackers, J. and Nout, M. J. R. 2013. *Effect of soybean processing on content and bioaccessibility of folate, vitamin B12 and isoflavones in tofu and tempe*. Food Chemistry 141: 2418–2425.
- Navab M, et al. 2011. *HDL and cardiovascular disease: atherogenic and atheroprotective mechanisms*. Nat Rev Cardiol 8:222.
- Norajit, K., Laohakunjit, N., & Kerdchoechuen, O. 2007. *Antibacterial effect of five Zingiberaceae essential oils*. Molecules :12(8):2047-2060
- Nout, M. J. R.; Kiers, J. L. 2004. *Tempeh as a functional food*. In: *World Soybean Research Conference, 7.; International Soybean Processing And Utilization Conference, 4.; Congresso Brasileiro De Soja*. Londrina: Embrapa Soybean., p. 708-713. (Embrapa Soja. Documentos, n. 228).

- Oliveira TT, Ricardo KFS, Almeida MR, Costa MR, Nagem TJ. 2007. *Hypolipidemic Effect of Flavonoids and Cholestyramine in Rats*. Latin American Journal of Pharmacy: 26(3):407-10.
- Raza, Singh R, and Arnav. 2018. *Antioxidant activities of tempeh*. Food Chemistry, 310, pp.6745-6755.
- Richardson PE, Jones MK, Young SG. 2005. *Assembly of lipoprotein particles containing apolipoprotein-B: structural model for the nascent lipoprotein particle*. Biophys 88: 2789-800.
- Riskesdas, 2013. *Hasil Riskesdas 2013*. (online) [http://www.depkes.go.id/download/riskesdas2013/Hasil%20Ris kesdas%202013](http://www.depkes.go.id/download/riskesdas2013/Hasil%20Ris%20kesdas%202013).
- Sarwono B. 2004. *Membuat Tempe dan Oncom*. Jakarta : Penebar Swadaya.
- Semwal, R. B., Semwal, D. K., Combrinck, S & Viljoen, A. M. 2015. *Gingerols and shogaols: Important nutraceutical principles from ginger*. Phytochemistry: 117, 554–568.
- Setyawan, A.D., Wiryanto, Suranto, Bermawie, N. 2014. *Variation in isozymic pattern of germplasm from three of ginger (Zingiber officinale) varieties*. Nus Bio.;6:86- 93.
- Sharma R, Moffatt RJ. 2011. *Diet And Nutrition Therapy In Dyslipidemia. Dyslipidemia: Causes, Diagnosis and Treatment*. India: Novapublishers Co.
- Shi, H., Nam, P.K. dan Yinfa, M., 2010. *Comprehensive Profiling of Isoflavones, Phytosterols, Tocopherols, Minerals, Crude Protein, Lipid, and Sugar during Soybean (Glycine Max) Germination*. Journal of Agricultural and Food Chemistry, 58, pp.4970–4976.
- Shimazu, Yukita, and Okari. 2007. *Antioxidant activities of tempeh*. Food Chemistry, 290, pp.6703-6710.
- Si, W., Chen, Y. P., Zhang, J., Chen, Z. Y., & Chung, H. Y. 2017. *Antioxidant activities of ginger extract and its constituents toward lipids*. Food Chemistry, 239, 1117 1125.
- Silalahi, J. 2006. *Fats and Oils: Modification and Substitution*. Lecture Notes. Postgraduate Section. Medan: Universitas Sumatera Utara Press.
- Soka, S., Suwanto, A., Sajuthi, D., & Rusmana, O. 2014. *Ompact of tempeh supplementation on gut microbiota composition in Sprague-Dawley rats*.

- Research Journal of Microbiology, 9(4), 189-198. <http://dx.doi.org/10.3923/jm.2014.189.198>.
- Stone, NJ. 2013. *ACC/AHA guideline on the treatment of blood cholesterol to reduce atherosclerotic cardiovascular risk in adults*. Circulation 129(Suppl 2):S1, 2014.
- Sultana S, Akter S, Khan MI. 2012. *Anti-Hyperlipidemic Action Of Zingiber Officinale (Ginger) Juice In Alloxan Induced Diabetic Rats*. Ibrahim Med Coll J.;6(2):55-8.
- Waluyo, T dan Nuri, A. 2013. *Pola Konsumsi Lemak dan Kadar Profil Lipid pada Mahasiswa Obesitas*.
- Watanabe, N., Fujimoto, K. and Aoki, H. 2007. *Antioxidant activities of the water-soluble fraction in tempe-like fermented soybean*. International Journal of Food Sciences and Nutrition 58: 577–587.
- WHO. 2013. *Cardiovascular Diseases*. Fact Sheet No 317. Updated March. <http://www.who.int/mediacentre/>
- Yusuf, Jeany D, and Kris. 2013. *Antioxidant activities of tempeh*. Journal of Tempeh, 239, vol.32, pp.729-739.
- Yousef dan Mokhtar, I. 2004. *Antioxidant activities and lipid lowering effects of soflavone in male rabbits*. Food and Chemical Toxicology : vol.42, pp. 1497–15
- Zhan, S., & Ho, S. C. 2005. *Meta-analysis of the effects of soy protein containing isoflavones on the lipid profile 1 – 3*. The American Journal of Clinical Nutrition, 81(2), 397-408. <http://dx.doi.org/10.1093/ajcn.81.2.397>. PMID1569922

