

UNIVERSITAS MUHAMMADIYAH SEMARANG
FAKULTAS ILMU KEPERAWATAN DAN KESEHATAN
PROGRAM STUDI DII KEBIDANAN
TAHUN 2019

**ASUHAN KEBIDANAN KOMPREHENSIF PADA NY. N GIPIA0 UMUR 20 TH HAMIL
34 MINGGU DI PMB OKTA FITRIANA
KOTA SEMARANG**

Alia Himawati* Siti Istiana S.SiT, M.Kes Endah Sulistyowati, S.ST, M.Sc****
Fakultas Ilmu Keperawatan Dan Kesehatan
Program Studi DIII Kebidanan
aliahimawati.ah@gmail.com

(xv+5 bab+ 155 halaman+6 tabel+6 lampiran)

ABSTRAK

Latar Belakang : Menurut World Health Organisation (WHO) pada tahun 2015 sebanyak 303.000 perempuan meninggal selama dan setelah kehamilan dan persalinan. Sekitar 830 wanita meninggal akibat komplikasi kehamilan atau melahirkan terkait diseluruh dunia setiap hari. Jumlah kasus kematian ibu di Provinsi Jawa Tengah pada tahun 2016 sebanyak 608 kasus, mengalami penurunan dibandingkan jumlah kasus kematian ibu tahun 2015 yang sebanyak 619 kasus. Penyebab kematian ibu di Jawa Tengah presentase terbanyak disebabkan karena perdarahan. Sedangkan Angka Kematian Bayi (AKB) di Provinsi Jawa Tengah tahun 2016 sebesar 99,9/1.000 kelahiran hidup, sama dengan AKB tahun 2015. Penyebab AKB di Jawa Tengah yaitu asfiksia, berat badan lahir yang rendah dan adanya infeksi.

Tujuan Penulisan Tugas Akhir ini mengkaji secara komprehensif asuhan kebidanan dalam bentuk studi kasus pada Ny N Umur 20 Tahun di PMB Okta Fitriana.

Metode Penulisan Tugas Akhir ini menggunakan pendekatan proses kebidanan 7 langkah varney dan SOAP.

Hasil Hasil Tugas Akhir ini diperoleh diagnosa GII PI A0 Usia Kehamilan 34 minggu patofisiologis , dengan Kekurangan Energi Kronik (KEK) , riwayat persalinan fisiologis yang diikuti masa nifas fisiologis dengan keluhan perutnya mules-mules pada kasus tersebut mendapat penanganan dengan tindakan KIE tanda bahaya trimester III , Riwayat BBL bayi dilahirkan dengan BB: 3400 gr, PB: 48 cm, LD: 32 cm, LK :33 cm jenis kelamin perempuan ada laserasi derajat II pada jalan lahir.

Kesimpulan Hasil penelitian pada kehamilan asuhan yang diberikan telah sesuai dengan teori. Pada asuhan persalinan terdapat kesenjangan yaitu perlengkapan APD, pada asuhan BBL tidak terdapat kesenjangan, nifas dan KB ada kesenjangan yaitu tentang konseling KB.

Kata kunci : Asuhan Kebidanan kehamilan,Persalinan,Nifas,BBL,KB

Daftar pustaka : 16, 2010-2018

*Mahasiswa Program Studi DIII Kebidanan Universitas Muhammadiyah Semarang

**Dosen Universitas Muhammadiyah Semarang

MUHAMMADIYAH UNIVERSITY OF SEMARANG
FACULTY OF NURSING AND HEALTH SCIENCE
STUDY PROGRAM IN MIDWIFE
IN 2019

COMPREHENSIVE MIDWIFERY CARE IN NY. N GIPIA0 AGE 20 TH PREGNANT
34 WEEKS IN PMB OKTA FITRIANA
SEMARANG CITY

Alia Himawati * Siti Istiana S.SiT, M.Kes ** Endah Sulistyowati, S.ST, M.Sc **
Faculty of Nursing and Health
DIII Midwifery Study Program
aliahimawati.ah@gmail.com

(xv + 5 chapters + 155 pages + 6 tables + 6 attachments)

ABSTRACT

Background: According to WHO in 2015 by 303.000 woman died during and after gravidity and partus. Around 830 woman died a result complications of gravidity or partus exhibiting around the world everyday. Number of cases of maternal deaths in central java in 2016 by 608 cases, it has had a fall than about number of cases of maternal deaths in 2015 by 619 cases . causes of maternal deaths in central java the most percentage is caused by bleeding . whereas Infant Mortality Rates(IMR) in central java in 2016 by 99,9/1000 living births, the same as Infant Mortality Rate (IMR) in 2015. The causes of Infant Mortality Rate (IMR) in central Java is asphyxia, low birth weight and infection.

Purpose: final task writing to study comprehensive midwifery care in the form of case studies to Mrs. N 20 years old in PMB Okta Fitriana

Method: final task writing approach by the process obstetrics of 7 steps of varney and SOAP

Result: the result of this final task was obtained diagnose GII PI A0 age of gravidity 38 weeks Pathophysiological, with Chronic Energy Deficiency (CED), physiological partus history is followed by physiological postpartum period with hearthburn complaint on the cases get treatment with communication, information, and education (CIE) measures of the danger of trimester III, newborn history, the infant was born with the weight: 3400 gr, the long body: 48 cm, the chest size :32 cm, the head size : 33 cm, the gender is female , there is laceration level 2 on the birth canal.

Conclusion: the result of the expert study on gravidity the care which is given has been in keeping with the theory. On partus care there is distinction that is personal protective equipments, on the newborn care there isn't distinction, Post partum and Family Planning there is distinction that is about counseling of family planning.

The key word: gravidity, partus, post partus, newborn, family planning midwifery care

Bibliography:16, 2010-2018

* Student of Midwifery Diploma Program at Muhammadiyah University, Semarang

** Lecturer at Muhammadiyah University Semarang