

## DAFTAR PUSTAKA

1. Kementerian Kesehatan RI. Situasi Lanjut Usia (lansia) di Indonesia. Jakarta Selatan; 2016. 1-8 p.
2. Maylasari I, Rachmawati Y, Wilson H, Wahyu Nugroho S, Putri Sulistyowati N, Windy Rosmala Dewi F. Statistik Penduduk Lanjut Usia di Indonesia 2019. Susilo D, Eridawaty Harahap I, Sinang R, editors. Jakarta: Badan Pusat Statistik; 2019. xxvi-258 p.
3. Kementerian Kesehatan RI. Hasil Utama Riset Kesehatan Dasar. 2018;2–200.
4. Zhu Y, Pandya BJ, Choi HK. Prevalence of gout and hyperuricemia in the US general population: The National Health and Nutrition Examination Survey 2007-2008. *Arthritis Rheum.* 2011;63(10):3136–41.
5. Liu D mei, Jiang L di, Gan L, Su Y, Li F. Association between serum uric acid level and body mass index in sex- And age-specific groups in southwestern China. Vol. 25, *Endocrine Practice.* 2019. 438-445 p.
6. Soputra EH, Sinulingga S, Subandrate S. Hubungan obesitas dengan kadar asam urat darah pada mahasiswa program studi pendidikan dokter fakultas kedokteran universitas sriwijaya. *Sriwij J Med.* 2018;1(3):192–9.
7. Lu W, Song K, Wang Y, Zhang Q, Li W, Jiao H, et al. Relationship between serum uric acid and metabolic syndrome: An analysis by structural equation modeling. *J Clin Lipidol.* 2012;6(2):159–67.
8. Fatmawati. Hubungan asupan protein, karbohidrat dan lingkar pinggang dengan kadar asam urat di Posyandu lansia werdho mulyo kadipiro surakarta. [Skripsi]. Insititut Teknologi Sains dan Kesehatan PKU Muhammadiyah Surakarta; 2019.
9. Lin WY, Lung CC, Liu TS, Jian ZH, Ko PC, Huang JY, et al. The association of anthropometry indices with gout in Taiwanese men. *BMC Endocr Disord.* 2013;13:2–7.
10. Yue JR, Huang CQ, Dong BR. Association of serum uric acid with body

- mass index among long-lived Chinese. *Exp Gerontol.* 2012;47(8):595–600.
11. Wulandari D, Rahayuningsih M. Hubungan lingkaran pinggang dan indeks massa tubuh dengan kadar asam urat wanita usia diatas 50 Tahun. *J Nutr Coll.* 2015;4(2):526–69.
  12. Wang H, Wang L, Xie R, Dai W, Gao C, Shen P, et al. Association of serum uric acid with body mass index: A cross-sectional study from Jiangsu province, China. *Iran J Public Health.* 2014;43(11):1503–9.
  13. Hastuti VN, Murbawani EA, Wijayanti HS. Hubungan asupan protein total dan protein kedelai terhadap kadar asam urat dalam darah wanita menopause. *J Nutr Coll.* 2018;7(2):54–60.
  14. Villegas R, Bang Xiang Y, Elasy T, Hong Xu W, Cai H, Cai Q, et al. Purine-rich foods, protein intake, and the prevalence of hyperuricemia: The shanghai men's health study. *Nutr Metab Cardiovasular.* 2012;22(5):406–16.
  15. Departemen Agama RI. Al-Qur'an dan terjemahannya Al-jumanatul'ali. 2007.
  16. Barkas F, Elisaf M, Liberopoulos E, Kalaitzidis R, Liamis G. Uric acid and incident chronic kidney disease in dyslipidemic individuals. *Curr Med Res Opin.* 2018;34(7):1193–9.
  17. Nasrul E, Sofitri S. Hiperurisemia pada pra diabetes. *J Kesehat Andalas.* 2012;1(2):86–91.
  18. National center for biotechnology information (2020). PubChem compound summary for CID 1175, Uric Acid. 2020.
  19. Singh JA, Reddy SG, Kundukulam J. Risk factors for gout and prevention: A systematic review of the literature. *Curr Opin Rheumatol.* 2011;23(2):192–202.
  20. Dong H, Xu Y, Zhang X, Tian S. Visceral adiposity index is strongly associated with hyperuricemia independently of metabolic health and obesity phenotypes. *Sci Rep.* 2017;7(1):1–13.
  21. Ragab G, Elshahaly M, Bardin T. Gout: An old disease in new perspective – A review. *J Adv Res.* 2017;8(5):495–511.

22. Mardalena I. Dasar-dasar ilmu gizi dalam keperawatan. Yogyakarta: Pustaka Baru Press; 2017.
23. Mulyadi A, Anisa Fitriana L, Rohaedi S. Gambaran aktivitas fisik pada lansia demensia di balai perlindungan sosial tresna wreda ciparay bandung. *J Keperawatan Olahraga*. 2020;9(1):1–11.
24. Ganda Fitriana G, Fayasari A. Pola konsumsi sumber purin, aktivitas fisik, dan status gizi dengan kadar asam urat pada lansia di Puskesmas kecamatan makasar jakarta. 2020;4(1):84–91.
25. Rizki MU, Probosari E, Nissa C. Hubungan lingkar pinggang, rasio lingkar pinggang terhadap tinggi badan dan indeks massa tubuh dengan kadar asam urat wanita usia 45-55 tahun. *J Nutr Coll*. 2017;6(4):357.
26. Susetyowati EH, Kandarina B, Faza F. Peranan gizi dalam pencegahan penyakit tidak menular. Yogyakarta: Gadjah Mada University Press; 2019.
27. Lim JU, Lee JH, Kim JS, Hwang Y Il, Kim T, Yong S, et al. Comparison of World Health Organization and Asia-Pacific Body Mass Index classifications in copd patient. *Respirology*. 2017;22:4–4.
28. Caliceti C, Calabria D, Roda A, Cicero AFG. Fructose intake, serum uric acid, and cardiometabolic disorders: A critical review. *Nutrients*. 2017;9(4):1–15.
29. Kurniadi H, Nurrahmani U. Faktor-faktor yang mempengaruhi kejadian hipertensi pada lansia di kelurahan manisrejo kota madiun. 2014;
30. Diantari E, Kusumastuti AC. Pengaruh Asupan Purin Dan Cairan Terhadap Kadar Asam Urat Wanita Usia 50-60 Tahun Di Kecamatan Gajah Mungkur, Semarang. *J Nutr Coll*. 2013;2(1):44–9.
31. Chowallor P, Keen H, Inderjeeth C. Gout in the elderly. *OA Eldery Med*. 2013;1(1):1–7.
32. Knoll T, Schubert AB, Fahlenkamp D, Leusmann DB, Wendt-Nordahl G, Schubert G. Urolithiasis through the ages: Data on more than 200,000 urinary stone analyses. *J Urol*. 2011;185(4):1304–11.
33. Grahame R, Simmonds A, Carrey E, Clarke G. Gout. Bridgwater, United Kingdom: Class Publishing; 2003. 1-160 p.

34. Oyama C, Takahashi T, Oyamada M, Oyamada T, Ohno T, Miyashita M, et al. Serum uric acid as an obesity-related indicator in early adolescence. *Tohoku J Exp Med.* 2006;209(3):257–62.
35. Bedir A, Topbas M, Tanyeri F, Alvur M, Arik N. Leptin might be a regulator of serum uric acid concentrations in humans. *Jpn Heart J.* 2003;44(4):527–36.
36. Fruehwald-Schultes B. Serum leptin is associated with serum uric acid concentrations in human. *Metabolism.* 1999;(6):677–80.
37. Dennis M, Benos DJ, Abboud F, Koopman WJ, Choi HK, Mount DB, et al. Patogenesis of gout. *Ann Intern Med.* 2005;143(7):499–516.
38. Sánchez-Lozada LG, Le MP, Segal M, Johnson RJ. How safe is fructose for persons with or without diabetes. *Am J Clin Nutr.* 2008;88(5):1189–90.

