Turnitin Jurnal Potekkes

by Dr, Yanuarita

Submission date: 17-Jan-2023 01:15PM (UTC+0700)

Submission ID: 1993984690

File name: Jurnal_Potekkes.pdf (432.77K)

Word count: 3591

Character count: 19852

Rumalean, H., Tursinawati, Y., & Ramaningrum, G. (2020). Giving Exclusive Breastfeeding and Maternal Gestational Age Affects the Developmental Lelay of Children Aged 3-36 Months. *JURNAL INFO KESEHATAN*, 18(1), 1-8. https://doi.org/10.31965/infokes.Vol18.lss1.302

Jurnal Info Kesehatan

Vol. 18, No. 1, June 2020, pp. 1-8

P-ISSN 0216-504X, E-ISSN 2620-536X

DOI: 10.31965/infokes.Vol18.Iss1.302

Journal homepage: http://jurnal.poltekeskupang.ac.id/index.php/infokes



RESEARCH

Open Access

Giving Exclusive Breastfeeding and Maternal Gestational Age Affects the Developmental Delay of Children Aged 3-36 Months

Hijrianti Rumalean ^{1a}, Yanuarita Tursinawati ^{1b*}, Galuh Ramaningrum ^{2c}

- ¹ Faculty of Medical, Universitas Muhammadiyah Semarang, Indonesia
- ² Department of Children Health, Adhyatma Hospital of Semarang, Indonesia
- ^a Email address: hijriantirumalean@gmail.com
- b Email address: yanuarita_tursii 8 @unimus.ac.id
- ^c Email address: ramaningrum@gmail.com

Received: 2 November 2019 Revised: 20 April 2020 Accepted: 22 April 2020

Abstract

Developmental disorders can affect one or more areas of development toch as gross motor, fine motor, speaking/using language, and social personality/independence. Factors that influence the development in children can come from internal factors (zclusive breastfeeding, and maternal gestational age) and external factors (maternal age and number five in the family). Early detection of development is very important using the Developmental Pre-Screening Questionnaire d DENVER II. The objective of the study is to identify risk factors that influence delays in the development of children aged 3-36 months. This research is an analytic observational with case control approach. The research location was at Integrated Healthcare Unit, Primary Health Center of Rowosari, Semarang. The total sample of this study was 62 in children aged 3-36 months whose development was analyzed using the Developmental Pre-Screening Questionnaire instrument. The sampling technique used purposive sampling. The variables of this study were exclusive breastfeeding, gestational age, maternal age and the number of children under five in the family. Statistical tests used Chi-Square to analyze the relationship between internal and external factors with the delay in child developme 2. The results show that exclusive breastfeeding (p=0.042) and gestational age (p=0.042) have a significant relationship with the development of children aged 3-36 months, while maternal age factors during pregnancy (p=0.425) and number of children under five (p=0,353) have no significant relationship. Thus, internal factors such as exclusive breastfeeding and maternal gestational age affect the developmental delay of children aged 3-36 months.

Keywords: Child Developmental Disorders, Developmental Pre-Screening Questionnaire

*Corresponding Author:

Yanuarita Tursinawa15

Faculty of Medical, Universitas Muhammadiyah Semarang

Kedung mundu Raya Street, No.18 Senterang City, Central Java, Indonesia

Email: yanuarita_tursina@unimus.ac.id



©The Author(s) 2020. This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated.

1. INTRODUCTION

Developmental disorders are developmental delays that can affect one or more domains of development. The realm of development is divided into gross motor, fine motor, speech/language, and social personality (Narendra, M. B., 2004, Soetjiningsih, 2013, Mithyantha et al., 2017). In children around the world, the incidence of developmental delays is around 10%. In 2011, the data obtained from UNICEF regarding developmental delays especially in gross motor skills were still in the high category at the age of toddlers at around 27.5% (Chapakia, M. I., 2016). In Indonesia in 2010, it was found about 35.7% of developmental delays incidence in children, included in the category of health problems in children according to the World Health Organization (WHO) reference because of the occurrence of more than 30%. Based on the research conducted in 2007 in Central Java province, 35.66% of cases experienced developmental delays (Widiaskara et al., 2017). This figure decreased compared to 2006 data of 53.44%, and in the same year, 436 visits to Kariadi Public Hospital, Semarang 22.9% experienced delays in speech development.

Screening is one of efforts to detect early growth and development in children. There are two types of developmental screening for children consisting of the Developmental Pre-Screening Questionnaire and Denver II. Developmental Pre-Screening Questionnaire is a developmental questionnaire for children aged 3 months to 6 years which aims to find out whether there is a developmental disorder or whether there is a deviation on children. This study used Developmental Pre-Screening Questionnaire screening type, because the subjects were children aged 3-36 months and their to is easier and more practical compared to Denver II.

There are several factors that affect children's development, which are internal and external factors (Soetjiningsih, 2013). Internal factors comprise of breastfeeding and gestational age. Breastfeeding, in the development of exclusive-breastfeeding children, are needed starting from children aged 0-6 months, which if children are given additional food at this age, they will turn into a critical period not a golden period and it will affect delays in children (UNICEF, 2010). The external factors include mother's age and number of children under five. The number of toddlers, in families who have a small number of toddlers, attention, care, affection and time are more devoted compared to families who have a large number of toddlers (Narendra, M. B. et al., 2004). Previous research conducted by Moontage et al, 2015 dan Widiaskara et al., 2017 found several factors related to delays in the development of children aged 4-5 years, which are factors of parental education, family socio-economic, number of siblings, nutritional status, breastfeeding, and birth weight of babies.

Research that analyzes risk factors for developmental delay of children aged 3-36 months has not been reported. Therefore, the objective of this study is to identify risk zo tors that influence delays in the development of children aged 3-36 months, because the incidence of developmental delays in children is one of causes of children's health in the future.

2. RESEARCH METHOD

This research is an analytic observational study using a case control approach. The research location is Integrated Healthcare Unit, Primary Health Center of Rowosari, Semarang. The time of the study was in July 2019. The total sample in this study was 62 in children aged 3-36 months (31 in cases and 31 in controls) and parents who were willing to become respondents at Integrated Healthcare Unit, Primary Health Center of

13

Rowosari, Semarang. The sampling technique used purposive sampling that has met the inclusion criteria and exclusion criteria. The case inclusion criteria include children who are experiencing delays and parents who are willing to be respondents. Meanwhile, the control criteria are children who are not experiencing delays and parents who are willing to become respondents. Exclusion criteria include parents who are deaf-mute, children who have congenital, hormonal and physical abnormalities.

This research variable consists of independent and dependent variables. The independent variables are risk factors (exclusive breastfeeding, gestational age, maternal age at childbirth, number of children under five in the family, and maternal age during pregnancy) and the dependent variable is children's development. Children's developmental Pre-Screening Questionnaire which analyzes 4 development sectors which are gross motor, fine motor, speech/language and socialization/independence. Developmental Pre-Screening Questionnaire according to age contains 9-10 questions about developmental abilities that have been achieved by children. Every question is asked to parents or nursemaid. Then, the answer "Yes" was calculated, if the number of "Yes" is 9 or 10, the children's development is suitable with the stages of development or there are no deviations. If the number of answers "Yes" is 8 or less, its concluded that there are deviations. The analysis of the data was to analyze the relationship between the independent variable and the dependent variable using the Chi Square test with a significance of p<0.05 and 95% CI. This research had been conducted an ethical review by the ethics commission of the Faculty of Medicine, University of Muhammadiyah, Semarang with No.074/EC/FK/2019.

3. RESULTS AND DISCUSSION

This study involved a total of 62 respondents with the following results.




Figure 1. Data on the characteristics of internal factors including exclusive breastfeeding and maternal gestational age during childbirth.






Figure 2. Data on the characteristics of internal factors including the age of the mother during childbirth and the number of children under five in the family.

Based on figures 1 and 2, it can be stated that the majority of samples did not get exclusive breastfeeding as many as 32 people (51.6%), gestational age when the mother gave birth was sufficient month as many as 46 people (74.2%), maternal age was not at risk as many as 55 people (88.7%), and the number of children under five in a family>1 was 46 people (74.2%).

Table 1. Relationship between Internal Factors and Development of Children 3-36 Months in Primary Health Center of Rowosari.

	Children's Development						
Variable	There is deviation		There is no deviation		P	OR	IK 95%
	n	%	n	%			
Exclusive Breastfeeding Application							
Exclusive	11	35,5	19	61,3	0,042	0,347	0,124 - 0,974
Breastfeeding							
Not Exclusive	20	64,5	12	38,7			
Gestational Age							
<37 weeks	8	25,8	2	6,5			
Sufficient	22	71,0	24	77,4	0,042	0,347	0,124 - 0,974
>42 weeks	1	3,2	5	16,0			

15

Table 2. Relationship of External Factors with developmental delay of children aged 3-36 months

	Children's Development						
Variable	There is deviation		There is no deviation		P	OR	IK 95 %
	n	%	n	%			
Maternal age							
Risk	5	16,1	2	6,5	0,425	2,788	0,498 - 15,621
No risk	26	83,9	29	93,5			
Toddlers' number							
One	9	29,0	7	22,6	0,562	1,403	0,446 - 4,406
>1	22	71,0	2_3	77,4			

Based on table 1, the results show that there is a significant relationship between the history of exclusive breastfeeding with children's development (p=0.042). Statistical tes 16 sults obtained p=0.425 on the relationship of maternal age with the development of children aged 3-36 months at the Primary Health Center Rowosari as in Table 2. It shows that the two lid not show any significant relationship.

The results of this study indicate that there is a significant relationship between the history of exclusive breastfeeding and children's development. In theory, breast milk is proven to have a composition in accordance with children's development because it has a complete nutritional content and contains both cellular and humoral substances, so that mortality and morbidity in children who consume breast milk is lower than children who consume formula milk (Soetjiningsih, 2013). This result is in accordance with other studies which stated that there is a significant relationship between exclusive breastfeeding and children's development (Yuni K. D., 2016). Moreover, other studies by Rosidi et al, 2019 also showed a close relationship between developmental status and exclusive breastfeeding. In contrast, these results are not in line with previous studies because it used a sample of toddlers aged 3-36 months with a case control approach whereas in the Moonik study, et al, the study used a sample of children aged 4-5 years with a cross sectional approach (Moonik et al., 2015).

Adequacy of nutrition in an individual's early life affects health and devel in the next life, likewise, the adequacy of breastfeeding early in life. The content of long chain polyunsaturated fatty acids in breast milk can improve cognitive abilities and the duration of breastfeeding influences the development of the baby. Exclusive breastfeeding for 6 months has been shown to influence the development and behavior of young children as reported by Wells et al, 2012 and Jonsdottir et al, 2013. Other studies on toddlers aged 24-36 months by Nuryanti, D., 2009 proved that breastfeeding applied for less than 3 months causes the risk of gross motor disturbances 3 times compared to individuals who get exclusive breastfeeding for 6 months.

Other results of this 4 tudy indicate that there is a significant relationship between gestational age at birth and the development of children aged 3-36 months at the Primary Health Center of Rowosari as stated in table 1. It is in line with research on 3-year-old children by Hochstedler et al, 2020 which proved that gestational age is inversely related to developmental delay. Increasing gestational age increases the risk of developmental delay. The gause can be explained in physiological theory where the study results obtained in the last weeks of pregnancy is a critical period for the development of the fetal brain at the level of anatomical, molecular and neurochemical

structures as proven by Kapellou et al, 2006. The premature birth causes baby's brain which is not yet sensitive to the dangers that exist in the outside environment (Kugelman, A. and Colin, A. A., 2013). Babies born with preterm gestational age have a high risk associated with increased perinatal morbidity, developmental delay, behavior and learning disorders (Brown et al 18014 dan Kerstjens et al, 2011). However, unlike Agarwal et al, 2018 who proved that there was no significant relationship between gestational age (premature and not) with the incidence of developmental disorders.

The age of the fetus in the womb starting from 28 weeks to 7 days after birth is an important period in the process of growth and development of children because it also determines the quality of life of the next baby (Soetjiningsih, 2013). Although the majority of respondents were at term gestational age, children born with sufficient gestational age may experience growth and development disorders caused by the condition of the mother during pregnancy, for instance due to nutritional factors and stress experienced by the mother during pregnancy (Rosyidah, 2018). The weakness in this study is the analysis was not conducted deeply in terms of nutritional conditions and stress when the mother is pregnant.

The age of mother during childbirth as the study sample was identified as an age at risk if <20 years and >35 years. Mothers who are pregnant at the age of risk are one of the criteria of high-risk pregnancies that will affect both morbidity and mortality in both mother and fetus. At the age of mothers over 35 years, they have a risk of giving birth to children with genetic disorders such as children with Down syndrome, so that children can experience stunted growth and development (Hertanto et al., 2009). One study stated that other causes of children's development delay are Down syndrome, disorders or nervous system infections such as cerebral palsy, spina bifida and mothers affering from TORCH infections (Al-naddawi, M., 2013, Bélanger, S. A., & Coron, J. 2018). The results of this study are not in line with Wulandari in 2017 which found a significant relationship between maternal age and children's development. The study stated that married women aged <20 years with immature reprotes tive organs tend to experience pregnancy and childbirth so that there is possibility of children born with Low Birth Weight (LBW), nutritional deficiencies, and developmental disorders.

Table 2 shows that the number of children under live does not show a meaningful relationship with children's development. This result is in line with research conducted by Widiaskara tahun 2017. It is possible because in the family, the affection and attention given by parents to their children have been distributed evenly without comparing one child to another (Widiaskara et al., 2017).

4. CONCLUSION

Research conducted at Integrated Healthcare Unit, Primary Health Center of Rowosari, marang shows that the internal factors (breastfeeding and gestational age at childbirth) have a significant relationship with the development of children aged 3-36 months. Therefore, exclusive breastfeeding and maternal gestational age affect the developmental delay of children aged 3-36 months.

REFERENCES

Agarwal, D., Chaudhary, S. S., Sachdeva, S., Misra, S. K., & Agarwal, P. (2018). Prevalence of Developmental Delay and Factors Affecting the Development Status among Under 5 Children in an Urban Slum of Agra City. *National Journal of Community Medicine* 9 (7), 474-479.

- Al-Naddawi, M., Ibraheem, M. F., & Alwan, S. H. (2013). Causes of Global Developmental Delay in Children Welfare Teaching Hospital-Baghdad. *The Iraqi* Postgraduate Medical Journal, 12(3), 383-389.
- Bélanger, S. A., & Caron, J. (2018). Evaluation of the child with global developmental delay and intellectual disability. *Paediatrics & child health*, 23(6), 403-410. DOI: https://doi.org/10.1093/pch/pxy093
- Brown, H. K., Speechley, K. N., Macnab, J., Natale, R., & Campbell, M. K. (2014). Neonatal morbidity associated with late preterm and early term birth: the roles of gestational age and biological determinants of preterm birth. *International journal of epidemiology*, *43*(3), 802-814. DOI: https://doi.org/10.1093/ije/dyt251
- Chapakia, M. I. (2016). Hubungan riwayat Berat Badan Lahir (BBL) dengan Perkembangan motorik halus anak usia 2-5 tahun di Posyandu Gonilan Kartasura (Doctoral dissertation, Universitas Muhammadiyah Surakarta).
- Hertanto, M., Shihab, N., Ririmasse, M. P., Ihsan, N., Rachmasari, M., Wijaya, M. T., ... & Wawolumaja, C. (2009). Penilaian Perkembangan Anak Usia 0-36 bulan menggunakan Metode Capute Scales. *Sari Pediatri*, 11(2), 130-135.
- Hochstedler, K. A., Bell, G., Park, H., Ghassabian, A., Bell, E. M., Sundaram, R., ... Yeung, E. H. (2020). *Gestational Age at Birth and Risk of Developmental Delay: The Upstate KIDS Study. American Journal of Perinatology*. DOI: https://doi.org/10.1055/s-0040-1702937
- Jonsdottir, O. H., Thorsdottir, I., Gunnlaugsson, G., Fewtrell, M. S., Hibberd, P. L., & Kleinman, R. E. (2013). Exclusive breastfeeding and developmental and behavioral status in early childhood. *Nutrients*, 5(11), 4414-4428. DOI: https://doi.org/10.3390/nu5114414
- Kapellou, O., Counsell, S. J., Kennea, N., Dyet, L., Saeed, N., Stark, J., ... & Allsop, J. M. (2006) Abnormal cortical development after premature birth shown by altered allometric scaling of brain growth. PLoS Med 3(8): e265. DOI: https://doi.org/10.1371/journal.pmed.0030265
- Kerstjens, J. M., de Winter, A. F., Bocca-Tjeertes, I. F., ten Vergert, E. M., Reijneveld, S. A., & Bos, A. F. (2011). Developmental delay in moderately preterm-born children at school entry. *The Journal of pediatrics*, *159*(1), 92-98. doi:10.1016/j.jpeds.2010.12.041
- Kugelman, A., & Colin, A. A. (2013). Late preterm infants: near term but still in a critical developmental time period. *Pediatrics*, *132*(4), 741-751. DOI: https://doi.org/10.1542/peds.2013-1131
- Mithyantha, R., Kneen, R., McCann, E., & Gladstone, M. (2017). Current evidence-based recommendations on investigating children with global developmental delay. *Archives of disease in childhood*, *102*(11), 1071-1076. DOI: https://doi.org/10.1136/archdischild-2016-311271
- Moonik, P., Lestari, H., & Wilar, R. (2015). Faktor-Faktor Yang Mempengaruhi Keterlambatan Perkembangan Anak Taman Kanak-Kanak. *e-CliniC*, 3(1).124-132
- Narendra, M. B. et al. (2004). *Tumbuh Kembang Anak dan Remaja*. Jilid II. Jakarta: Ikatan Dokter Anak Indonesia.
- Nuryanti D. (2009). The Relationship between The Duration of Exclusive Breastfeeding and Nutritional Status and Gross Motor Development of Children Aged 24-36 Months. Unpublished Thesis.Bandung: Fakulty of Medicine University of Padjadjaran.

- Rosidi, A., & Bening, S., Sulistyowati, E., Hunandar, C., Sunarto., Wijaningsih, W. (2019). Inadequate Energy Intake as a Risk Factor to Developmental Delay of Pre-School Aged Children. Current Nutrition & Food Science, 15:1-5.
- Soetjiningsih. (2013). Tumbuh Kembang Anak Edisi 2. Jakarta: EGC.
- Rosyidah, S., & Mahmudiono, T. (2018). Hubungan Riwayat BBLR Dengan Pekembangan Anak Prasekolah (Usia 4-5 Tahun) Di TK Dharma Wanita III Karangbesuki Malang. Amerta Nutrition, 2(1), 66-73. DOI: http://dx.doi.org/10.20473/amnt.v2i1.2018.66-73
- UNICEF. (2010). *Programming Experiences in Early Child Development*. New York: Early Child Development Unit Press.
- Wells, J. C., Jonsdottir, O. H., Hibberd, P. L., Fewtrell, M. S., Thorsdottir, I., Eaton, S., ... & Kleinman, R. E. (2012). Randomized controlled trial of 4 compared with 6 mo of exclusive breastfeeding in Iceland: differences in breast-milk intake by stable-isotope probe. *The American journal of clinical nutrition*, *96*(1), 73-79. DOI: https://doi.org/10.3945/ajcn.111.030403
- Widiaskara, L. G. A. P. V., & Windiani, I. G. A. T. Prevalens Keterlambatan Perkembangan Anak di Taman Kanak-Kanak Sabana Sari, Denpasar Barat. *E-Jurnal Medika Udayana*, 6(9). 34-37.
- Wulandari, U. R., Budihastuti, U. R., & Pamungkasari, E. P. (2017). Analysis of Life-Course Factors Influencing Growth and Development in Children under 3 Years Old of Early Marriage Women in Kediri. *Journal of Maternal and Child Health*, 2(2), 137-149.
- Yuni K. D. (2016). Perbedaan Perkembangan Anak Usia 1-4 Tahun yang diberi ASI Eksklusif dan Non Eksklusif di Posyandu Tunasjaya Kecamatan Dukuh Turi Kabupaten Tegal. *Skripsi*. Semarang: Fakultas Kedokteran Universitas Muhammadiyah Semarang.

Turnitin Jurnal Potekkes

ORIGINALITY REPORT

17% SIMILARITY INDEX

8%

INTERNET SOURCES

15%

PUBLICATIONS

4%

STUDENT PAPERS

PRIMARY SOURCES

Ni Made Riasmini, Eska Riyanti, I Wayan Suardana, I Ketut Gama, Husnul Khatimah. "Exercise Program: Tai Chi and Cognitive Stimulation to Improve Health Status of Elderly in Nursing Homes", JURNAL INFO

6%

Publication

KESEHATAN, 2021

Yuhanah Yuhanah, Grace Tedy Tulak. "Family Income, Mother's Education and Number of Siblings with Toddler Growth and Development", Jurnal Aisyah: Jurnal Ilmu Kesehatan, 2022

2%

Publication

3

Riah Ayu Pratami, Abd. Gafur, Nur Ulmy Mahmud, Sumiaty, Septiyanti. "Hubungan Antara Pola Pemberian ASI Terhadap Perkembangan Motorik Kasar Pada Bayi Usia 6-11 Bulan di Puskesmas Rappokalling Kota Makassar", Window of Public Health Journal, 2021

Publication

1 %

4	Nopi Nur Khasanah, Anisatul Mufarihah, Iskim Luthfa. "How Does Birth Weight Affect the Development of Preschool Children? A Cross- Sectional Study", KnE Life Sciences, 2022 Publication	1 %
5	bircu-journal.com Internet Source	1 %
6	Ni Made Ari Sukmandari, Komang Yogi Triana, Claudia Wuri Prihandini. "The Development of Preschool Children Related to Democratic Parenting", Jurnal Ilmu dan Teknologi Kesehatan, 2022 Publication	1%
7	igsspublication.com Internet Source	1%
8	bibliotekanauki.pl Internet Source	<1%
9	Hui Wang, Gabriel M Leung, HS Lam, C Mary Schooling. "Gestational age and adolescent mental health: evidence from Hong Kong's 'Children of 1997' birth cohort", Archives of Disease in Childhood, 2015 Publication	<1%
10	Pety Merita Sari, Nurdina Nurdina, Sandu Siyoto. "Analysis of Determinants that Influence on Development of the Participants Family of the BPJS Health Recipient Dues (PBI)	<1%

in Balongrejo Village, Bagor Subdistrict, Nganjuk District", Journal for Quality in Public Health, 2020

Publication

11	callforpaper.unw.ac.id Internet Source	<1%
12	Anupama Bishwokarma, Diwash Shrestha, Kshitiz Bhujel, Natasha Chand et al. "Developmental delay and its associated factors among children under five years in urban slums of Nepal", PLOS ONE, 2022 Publication	<1%
13	Olof Jonsdottir, Inga Thorsdottir, Geir Gunnlaugsson, Mary Fewtrell, Patricia Hibberd, Ronald Kleinman. "Exclusive Breastfeeding and Developmental and Behavioral Status in Early Childhood", Nutrients, 2013 Publication	<1%
14	bmcpublichealth.biomedcentral.com Internet Source	<1%
15	jurnal.unimus.ac.id Internet Source	<1%
16	I. Gusti Ayu Trisna Windiani, I Gusti Agung Ngurah Sugitha Adnyana, I Soetjiningsih. "The Sensitivity and Specificity of Kuesioner Praskrining Perkembangan to Detect Delayed	<1%

Development in Children", American Journal of Pediatrics, 2020

Publication

- Nuraeni Azizah, Darmawansyih, Henny <1% 17 Fauziah. "Relationship between Nutritional Status and Development of Preschool Aged Children in the Operational Area of Puskesmas Batua Raya", Green Medical Journal, 2021 **Publication** iournalcra.com <1% 18 Internet Source "Follow-Up for NICU Graduates", Springer 19 Science and Business Media LLC, 2018 Publication Oba, Tomohiro, Junichi Hasegawa, Katsufumi <1% 20 Otsuki, Kazuo Itabashi, Takashi Okai, and Akihiko Sekizawa. "Effects of Late Preterm Birth on the Incidence of Developmental Delays among Children at 3 Years of Age: A Matched-Pair Case-Control Study", Open Journal of Obstetrics and Gynecology, 2015. Publication <1%
 - Monica Juneja, Arpita Gupta, Smitha Sairam, Ridhimaa Jain et al. "Diagnosis and Management of Global Development Delay: Consensus Guidelines of Growth, Development and Behavioral Pediatrics

Chapter, Neurology Chapter and Neurodevelopment Pediatrics Chapter of the Indian Academy of Pediatrics", Indian Pediatrics, 2022

Publication

Exclude quotes Off Exclude matches Off

Exclude bibliography On