

DAFTAR PUSTAKA

- Abu-saq Al Yami, A., Al Qahtani, S., Shokair, N., Al Ghamdi, M., & Al Bouni, R. (2020). Effect of home and in-office bleaching systems on the nanomechanical properties of tooth enamel. *Saudi Dental Journal*, 32(7), 343–348. <https://doi.org/10.1016/j.sdentj.2019.10.007>
- Berman, Louis H. Hargreaves, K. . (Ed.). (2021). *Cohen's Pathway of The Pulp* (12th ed.). Elsevier.
- Borges, A. B., Zanatta, R. F., Barros, A. C. S. M., Silva, L. C., Pucci, C. R., & Torres, C. R. G. (2015). Effect of hidrogen peroksida concentration on enamel color and microhardness. *Operative Dentistry*, 40(1), 96–101. <https://doi.org/10.2341/13-371-L>
- Chandra, BS; Gopikrishna, V. (2014). *Grossman's Endodontic Practice* (13th ed.). Grossman.
- Cvikl, B., Lussi, A., Moritz, A., & Flury, S. (2016). Enamel surface changes after exposure to bleaching gels containing carbamide peroxide or hidrogen peroksida. *Operative Dentistry*, 41(1), E39–E47. <https://doi.org/10.2341/15-010-L>
- de Almeida, L. C. A. G., Soares, D. G., Gallinari, M. O., de Souza Costa, C. A., dos Santos, P. H., & Briso, A. L. F. (2015). Color alteration, hidrogen peroksida diffusion, and cytotoxicity caused by in-office bleaching protocols. *Clinical Oral Investigations*, 19(3), 673–680. <https://doi.org/10.1007/s00784-014-1285-3>
- de Oliveira Duque, C. C., Soares, D. G., Basso, F. G., Hebling, J., & de Souza Costa, C. A. (2014). Bleaching effectiveness, hidrogen peroksida diffusion, and cytotoxicity of a chemically activated bleaching gel. *Clinical Oral Investigations*, 18(6), 1631–1637. <https://doi.org/10.1007/s00784-013-1147-4>
- De Paula, E. A., Nava, J. A., Rosso, C., Benazzi, C. M., Fernandes, K. T., Kossatz, S., Loguercio, A. D., & Reis, A. (2015). In-office bleaching with a two- and seven-day intervals between clinical sessions: A randomized clinical trial on tooth sensitivity. *Journal of Dentistry*, 43(4), 424–429. <https://doi.org/10.1016/j.jdent.2014.09.009>
- Domínguez, A., García, J. A., Costela, Á., & Gómez, C. (2011). Influence of the light source and bleaching gel on the efficacy of the tooth whitening process. *Photomedicine and Laser Surgery*, 29(1), 53–59. <https://doi.org/10.1089/pho.2009.2751>
- Fatima, N. (2016). In-vitro comparative study of in-office and home bleaching agents on surface micro-morphology of enamel. *Journal of the College of Physicians and Surgeons Pakistan*, 26(1), 9–12. <https://doi.org/01.2016/JCPSP.0912>
- Garg, N., & Garg, A. (Eds.). (2015). *Operative Dentistry* (3rd ed.). Jaypee Publisher.
- Goldstein, R. ., & Garber, D. . (Eds.). (1995). *Complete Dental Bleaching*. Quintessence.

- Grazioli, G., Valente, L. L., Isolan, C. P., Pinheiro, H. A., Duarte, C. G., & Münchow, E. A. (2018). Bleaching and enamel surface interactions resulting from the use of highly-concentrated bleaching gels. *Archives of Oral Biology*, 87(October 2017), 157–162. <https://doi.org/10.1016/j.archoralbio.2017.12.026>
- Jurema, A. L. B., de Souza, M. Y., Torres, C. R. G., Borges, A. B., & Caneppele, T. M. F. (2018). Effect of pH on whitening efficacy of 35% hydrogen peroksida and enamel microhardness. *Journal of Esthetic and Restorative Dentistry*, 30(2), E39–E44. <https://doi.org/10.1111/jerd.12367>
- Kansal, S., Jindal, L., Garg, K., Thakur, K., Mehta, S., & Pachori, H. (2020). Discoloration of teeth : A literature review. *International Journal of Health and Clinical Research*, 3(2), 58–62.
- Klaric, E., Rakic, M., Sever, I., Milat, O., Par, M., & Tarle, Z. (2015). Enamel and dentin microhardness and chemical composition after experimental light-activated bleaching. *Operative Dentistry*, 40(4), E132–E141. <https://doi.org/10.2341/14-148-L>
- Kutuk, Z. B., Ergin, E., Cakir, F. Y., & Gurgan, S. (2019). Effects of in-office bleaching agent combined with different desensitizing agents on enamel. *Journal of Applied Oral Science*, 27, 1–10. <https://doi.org/10.1590/1678-7757-2018-0233>
- Lertsukprasert, N., & Locharoenrat, K. (2020). Efficiency of tooth bleaching agent on staining and discoloration characteristics of nicotine stained dental enamel model. *BMC Oral Health*, 20(1), 1–8. <https://doi.org/10.1186/s12903-020-01207-2>
- Lima, D. A. N. L., Aguiar, F. H. B., Pini, N. I. P., Soares, L. E. S., Martin, A. A., Liporoni, P. C. S., Ambrosano, G. M. B., & Lovadino, J. R. (2015). In vitro effects of hidrogen peroksida combined with different activators for the in-office bleaching technique on enamel. *Acta Odontologica Scandinavica*, 73(7), 516–521. <https://doi.org/10.3109/00016357.2014.997793>
- Llena, C., Esteve, I., & Forner, L. (2017). Effect of hydrogen and carbamide peroxide in bleaching, enamel morphology, and mineral composition: In vitro study. *Journal of Contemporary Dental Practice*, 18(7), 576–582. <https://doi.org/10.5005/jp-journals-10024-2087>
- Marson, F. C., Gonçalves, R. S., Silva, C. O., Cintra, L. T. Â., Pascotto, R. C., Dos Santos, P. H., & Briso, A. L. F. (2015). Penetration of hidrogen peroksida and degradation rate of different bleaching products. *Operative Dentistry*, 40(1), 72–79. <https://doi.org/10.2341/13-270-L>
- Martins, I. E. B., Onofre, S., Franco, N., Martins, L. M., Montenegro, A., Arana-Gordillo, L. A., Reis, A., Loguercio, A. D., & Da Silva, L. M. (2018). Effectiveness of in-office hidrogen peroksida with two different protocols: A two-center randomized clinical trial. *Operative Dentistry*, 43(4), 353–361. <https://doi.org/10.2341/17-128-C>
- Torres, C. R. G., Zanatta, R. F., Silva, T. J., & Borges, A. B. (2019). Effect of calcium and fluoride addition to hidrogen peroksida bleaching gel on tooth diffusion, color, and microhardness. *Operative Dentistry*, 44(4), 424–432. <https://doi.org/10.2341/18-113-L>
- Zanolla, J., Marques, A. B. C., da Costa, D. C., de Souza, A. S., & Coutinho, M. (2017).

Influence of tooth bleaching on dental enamel microhardness: a systematic review and meta-analysis. *Australian Dental Journal*, 62(3), 276–282.
<https://doi.org/10.1111/adj.12494>